



King County

Parks and Recreation Division

Department of Natural Resources and Parks

Neighborhood Meeting Summary East Lake Sammamish Master Plan Trail –South Sammamish Segment A Contract No. C00796C13

July 21, 2014

5 –7 p.m.

East Lake Sammamish Trail at 212th Ave SE

(4209 East Lake Sammamish Pkwy SE to 4261 East Lake Sammamish Shore Lane SE)

Meeting Overview:

- Monica Leers, King County Parks, greeted attendees, introduced project staff, and explained the purpose of the meeting. King County is advancing design of the South Sammamish Segment A of the East Lake Sammamish Trail. Preliminary Trail Alignment Plans are now available and the design team is available tonight to explain the plans, answer questions, and collect comments. King County is committed to being a good neighbor and wants to hear from trail neighbors and the public early and often during design and construction. Monica encouraged to submit comments and contact the project team anytime to provide comments or ask questions.
- All meeting attendees were asked to sign-in and received a packet of information that included recent newsletters for South and North Sammamish, informational project handouts, and a comment form. Trail neighbors received a personalized set of the design plans for the trail section adjacent to their home.
- Jenny Bailey, Parametrix provided an overview of the Preliminary Trail Alignment Plans and design criteria. Jenny explained that through this segment of the trail, the alignment is driven by the wetland to the east. The design team is looking at ways to shift the trail to the east as much as possible without impacting the wetlands. King County is required by local, state, and federal regulations to avoid impacts to environmentally sensitive areas. Jenny explained that the centerline of the paved trail is staked to provide a visual cue of the proposed trail improvements. Jenny provided an overview of how to read the design plans and encouraged attendees to refer to their individual plan set throughout the meeting.
- Jenny Bailey led a walking tour from 4209 East Lake Sammamish Pkwy SE to 4261 East Lake Sammamish Shore Lane SE; explaining the proposed alignment and key design features. Attendees were encouraged to ask questions and provide comments throughout the meeting.



King County

Parks and Recreation Division

Department of Natural Resources and Parks



Comment Summary:

- Meeting attendees provided the following questions and comments.
 - There were several comments about enforcing trail rules and speed limits
 - Consider striping, speed bumps, signage, or other measures to calm bicycle traffic.
 - It is difficult to see cyclists at intersections.
 - Jenny Bailey explained that portions of this segment include tiered walls, designed to accommodate replanting in the area. There were several questions and comments related to trees and landscaping:
 - Neighbors suggested that the planting area between the two walls be about table height in order to best accommodate older gardeners.
 - Concern for privacy screening.
 - How will the project affect mature landscaping and trees?
 - Please remove arborvitae along the trail corridor.
 - Are there height restrictions for plants next to retaining walls?
 - Could you limb trees near intersections instead of removing them?
 - Does King County maintain landscaping installed as part of the project.
 - Will King County compensate homeowners for loss of landscaping?
 - The ELST will improve accessibility.
 - One individual expressed concern for a waterline adjacent to the trail at Station.
 - How is drainage included in the trail design?
 - Pedestrian access does not need to be relocated at Station 230 + 100
 - Why is King County paving the trail?
 - Preference for soft surface trail.
 - There were several questions and comments related to construction.
 - Will construction impact mailboxes?
 - Where is construction staging located?
 - What are the construction hours?
 - What is the timeframe for construction?
 - Will the trail be closed during construction?



King County

Parks and Recreation Division

Department of Natural Resources and Parks

- The new property owner opposite of Driveway 2 attended and expressed concerns about drainage as well as maintained access to parking space

Action Items:

- ☐ Send copy of retaining wall fact sheet to Lynn (Laura)

From: [REDACTED]@gmail.com [REDACTED]@gmail.com] on behalf of Vin Bhalerao [REDACTED]
Sent: Wednesday, July 30, 2014 8:37 PM
To: ELST Master Plan
Subject: Suggestions regarding the planned construction of East Lake Sammamish Trail - South Sammamish Segment A

Hi.

We live next to the East Lake Sammamish Trail at 4277 E Lake Sammamish Shore Lane SE, Sammamish. IWe attended one of your trail meetings recently and decided to provide our suggestions for the construction of the trail. Here are some comments and suggestions we have for the planned construction of the trail:

1. Our house is right at the bottom of one of the access roads that connects the East Lake Sammamish Parkway and the Shore Lane. The access road is really steep and when it rains, we get a lot of water coming down the road directly at our house. We would like to have some sort of a diversion mechanism set up on the access road so that rain water gets diverted away from the home and into the shore lane itself. Since this part of the access road is going to be redone anyway, we believe this request should be fairly easy to act on.
2. Related to the above, it is extremely important that during construction, there is always a clear path for the water to flow to the Shore Lane. Care must be taken so that diversion of water flow due to construction equipment / materials / debris etc. do not cause rain water to flow towards our house.
3. We do not have any space for street parking directly across from our house (due to being right at the bottom of the access road). So we park right next to our house parallel to the Shore Lane. It is essential for us that we be able to to park there during the construction and after the construction is over. Further, it would be important to keep the actual construction time period to as short as possible.
4. Finally, is there any way to modify the access road in front of our house so that it does not end directly in front of our house, but between two houses? This may also make it less steep and thus more usable. The road is so steep at present that even a fire truck would not be able to use it. Also, I feel that the steepness makes it more hazardous for the residents as well as the trail users. Changing its direction will also help alleviate the water problem I mentioned above. Of course, we realize that we will have to see if our neighbors agree to this idea, but before we talk to them, we would like to know if such a thing is a possibility.

We would be happy to also come and meet you in person to explain any of the points above.

Thank you very much for listening.

- Vinayak (Vin) Bhalerao / Sampada Bhalerao
4277 E Lake Sammamish Shore Lane SE, Sammamish, WA 98075.



King County

Parks and Recreation Division

Department of Natural Resources and Parks
King Street Center, KSC-NR-0700
201 South Jackson, Room 700
Seattle, WA 98104



Dear Mr. and Ms. Bhalerao,

Thank you for your comments at King County's trail meetings this summer with homeowners in South Sammamish Segment A. All of the comments from the meetings were provided to the design team to be reviewed and considered as trail design advances.

Your comments have been received. King County responses are as follows:

Comment:

Our house is right at the bottom of one of the access roads that connects the East Lake Sammamish Parkway and the Shore Lane. The access road is really steep and when it rains, we get a lot of water coming down the road directly at our house. We would like to have some sort of a diversion mechanism set up on the access road so that rain water gets diverted away from the home and into the shore lane itself. Since this part of the access road is going to be redone anyway, we believe this request should be fairly easy to act on.

KC Response:

King County understands there is an existing drainage issue regarding runoff from the Parkway. Intersections will be improved as part of trail construction, however installing a diversion mechanism to redirect driveway runoff could increase flows and add to an existing downstream drainage issue.

King County Parks and the City of Sammamish are reviewing this to see if maintenance actions could address the existing drainage issue.

Comment

Related to the above, it is extremely important that during construction, there is always a clear path for the water to flow to the Shore Lane. Care must be taken so that diversion of water flow due to construction equipment / materials / debris etc. do not cause rain water to flow towards our house.

KC Response:

King County incorporates specific conditions within the construction documents that require the Contractor to use best construction practices. Project staff will be available through the project hotline and onsite during construction to immediately address any concerns or issues that arise.

Comment:

We do not have any space for street parking directly across from our house (due to being right at the bottom of the access road). So we park right next to our house parallel to the Shore Lane. It is essential for us that we be able to park there during the construction and after the construction is over. Further, it would be important to keep the actual construction time period to as short as possible.

KC Response:

King County will maintain access to homes along East Lake Sammamish Shore Lane during construction. The driveway and access road may be narrowed during construction activities which may temporarily impact your parking. The project team will provide additional information as construction approaches and will provide notification of temporary impacts prior to construction activities.

Comment:

Finally, is there any way to modify the access road in front of our house so that it does not end directly in front of our house, but between two houses? This may also make it less steep and thus more usable. The road is so steep at present that even a fire truck would not be able to use it. Also, I feel that the steepness makes it more hazardous for the residents as well as the trail users. Changing its direction will also help alleviate the water problem I mentioned above. Of course, we realize that we will have to see if our neighbors agree to this idea, but before we talk to them, we would like to know if such a thing is a possibility.

KC Response:

Modifying the access road is outside the scope of this project.

For additional information on the East Lake Sammamish Master Plan Trail project, please visit the project website at: www.kingcounty.gov/eastlakesammamishtrail.

You may follow our blog (<http://kingcountyparks.wordpress.com/>) for frequent updates about the East Lake Sammamish Trail and other King County Parks projects.

Please let us know if you have any additional questions or concerns. King County's public outreach staff are available to meet with you throughout the design and construction process. You may set up an appointment by calling the project hotline at 1-888-668-4886 or emailing ELST@kingcounty.gov.

Sincerely,

Gina Auld
Capital Projects Manager



East Lake Sammamish Trail – South Sammamish Segment A

Neighborhood Meeting

Comment Form

Please provide your contact information:

Name: Leo Kosenkranius

Address: 3233 E Lake Sammamish Shore Lane SE

City, State, Zip: Sammamish WA 98075

Email Address: [REDACTED]@gmail.com

Phone: [REDACTED]

Please share your questions, comments, and concerns below:

1) I want to get a long term or permanent easement to my house on the road that has been used for 40+ years.

2) I want to make sure the parking lot & trail access is in the safest location. Not turning onto the Parkway in the middle of the curve, suggest having the access south of 33rd street where there is a turn lane.

Was today's meeting helpful? ☐ Yes ☐ No

Please share your thoughts below on the meeting content and format.



King County

Parks and Recreation Division
Department of Natural Resources and Parks
King Street Center, KSC-NR-0700
201 South Jackson, Room 700
Seattle, WA 98104



Dear Mr. Kosenkranius,

Thank you for your comments at King County's trail meetings this summer with homeowners in South Sammamish Segment A. All of the comments from the meetings were provided to the design team to be reviewed and considered as trail design advances.

Your comments have been received. KC responses are as follows:

Comment:

I want to get a long term or permanent easement to my house on the road that has been used for 40+ years.

KC Response:

Obtaining long term or permanent easement to your property is outside the scope of this project. Your comment has been sent to Kevin Workman, King County Parks Property Agent, for his review. Kevin will follow up with you directly on this issue.

Comment:

I want to make sure the parking lot and trail access is in the safest location. Not turning onto the Parkway in the middle of the curve. Suggest having the access south of 33rd Street where there is a turn lane.

KC Response:

Thank you for your suggestion regarding access to the parking lot. The County understands there is a great deal of community interest in the proposed parking lot. The County will continue to provide design updates and opportunities for community input with regard to trail design. The current timeline anticipates construction of the parking lot facility in 2018.

For additional information on the East Lake Sammamish Master Plan Trail project, please visit the project website at: www.kingcounty.gov/eastlakesammamishtrail.

You may follow our blog (<http://kingcountyparks.wordpress.com/>) for frequent updates about the East Lake Sammamish Trail and other King County Parks projects.

King County's public outreach staff are available to meet with you throughout the design and construction process. We encourage you to stay involved as design advances. You may set up an appointment by calling the project hotline at 1-888-668-4886 or emailing ELST@kingcounty.gov.

Sincerely,

Gina Auld
Capital Project Manager

east lake sammamish trail

East Lake Sammamish Trail – South Sammamish Segment A

Neighborhood Meeting

Comment Form

Please provide your contact information:

Name: Sharon O'Donnell, Dan, Allen & Janet McNaughton

Address: 4229 E LK Samm Sh Ln SE

City, State, Zip: Sammamish WA 98075

Email Address: [REDACTED]

Phone: [REDACTED]

Please share your questions, comments, and concerns below:

Love the trail!

How high will lower wall be?? We would like it to be about ~~where it is~~ the same as the current wall.

How will plantings in lower level be determined? We would like input - option to plant vegetables in portion of it.

~~Mailbox~~ Freestanding mailboxes currently on wall - would prefer moved off property.

We do not need access steps from our property - currently on plans

~~Freq~~ Trail could use more frequent trash bins.

Was today's meeting helpful? ☒ Yes ☐ No

Please share your thoughts below on the meeting content and format.

worked well - might have been more County employees than needed.



King County

Parks and Recreation Division

Department of Natural Resources and Parks
King Street Center, KSC-NR-0700
201 South Jackson, Room 700
Seattle, WA 98104



Dear Ms. O'Donnell,

Thank you for your comments at King County's trail meetings this summer with homeowners in South Sammamish Segment A. All of the comments from the meetings were provided to the design team to be reviewed and considered as trail design advances.

Your comments have been received. King County responses are as follows:

Comment:

How high will the lower wall be? We would like it to be about the same as the current wall.

KC Response:

The height of the lower wall adjacent to 4229 E Lake Sammamish Shore Lane SE will vary between 4-ft and 8-ft., with the lowest point at the south end of the wall.

Comment:

How will planting in lower level be determined? We would like input – option to plant vegetables in portion of it.

KC Response:

Consistent with King County Parks Regional Trail guidelines, the trail design includes landscaping with low-growing, native plants, shrubs and trees to restore the project area and achieve the following goals and objectives:

- Increase trail safety by improving sightlines at all trail intersections. This includes installing plants that grow to a maximum of three feet at full maturity to ensure sightlines are maintained.
- Restore areas disturbed by construction with landscape mulch and plantings or seeding to prevent erosion.
- Provide multiple benefits including: ability to thrive in local conditions of drought or excess moisture; less maintenance; blend well into the natural surroundings along the trail corridor; and provide wildlife habitat.
- Contribute to visual continuity along the trail corridor and help make the trail feel like a park.
- In all cases, the species planted along the trail corridor will be appropriate for the surroundings with consideration given to size at maturity.

Several trail neighbors have expressed interest in providing input on trail landscaping and the possibility of additional landscaping within King County's right-of-way. King County staff will be available to meet with trail neighbors closer to construction to discuss landscaping preferences, the County's Special Use Permit (SUP) process for additional planting, and safety guidelines for landscaping design.

Comment:

Free standing mailboxes currently on wall, would prefer moved off property.

KC Response:

If the mailboxes conflict with trail construction, they will be relocated temporarily during construction. Currently, there are no plans to relocate mailboxes permanently.

Comment:

We do not need access to steps from our property, currently on plans.

KC Response:

Thank you for clarifying access stairs to your property was not needed. The stairs will be deleted from the design plans.

Comment:

Trail could use more frequent trash bins.

KC Response:

Thank you for your sharing your comment on additional trash receptacles. This request will be sent to King County Parks maintenance for consideration.

For additional information on the East Lake Sammamish Master Plan Trail project, please visit the project website at: www.kingcounty.gov/eastlakesammamishtrail.

You may follow our blog (<http://kingcountyparks.wordpress.com/>) for frequent updates about the East Lake Sammamish Trail and other King County Parks projects.

King County's public outreach staff are available to meet with you throughout the design and construction process. We encourage you to stay involved as design advances. You may set up an appointment by calling the project hotline at 1-888-668-4886 or emailing ELST@kingcounty.gov.

Sincerely,

Gina Auld
Capital Project Manager

East Lake Sammamish Trail – South Sammamish Segment A

Neighborhood Meeting

Comment Form

Please provide your contact information:

Name: GAVIN SKOK

Address: 4255 E. LK. SAMMAMISH SHORE LN SE

City, State, Zip: SAMMAMISH WA 98075

Email Address: [REDACTED]

Phone: [REDACTED]

Please share your questions, comments, and concerns below:

(WE'RE BETWEEN 225+00 AND 226+00)

THREE COMMENTS:

(SHEET 15 OF 27, AT 224+00 TO 227+00)

(1) RETAINING WALL #5 SHOULD BE ELIMINATED OR AT LEAST PUSHED AS CLOSE TO RETAINING WALL #4 AS POSSIBLE. PARKING IS EXTREMELY SCARCE ON E.LK. SAMM. SHORE LANE, SO ELIMINATING WALL #5 WOULD CREATE MUCH NEEDED SPACE FOR PARKING + FOR CARS TO PASS THROUGH.

(2) THE WALL DRAIN OUTFALL (ITEM 8 ON SHEET 15 OF 27) SHOULD BE ELIMINATED OR MOVED, e.g. DRAINED INTO THE PRIMARY DRAINAGE OR PAST 227+00 WHERE THE LOTS ARE NOT DEVELOPED. OUTFALL AT CURRENT LOCATION WILL CREATE A SAFETY HAZARD FOR RESIDENTS (INCLUDING CHILDREN) AT 4255, PARTICULARLY IN COLD WEATHER OR HEAVY RAIN. RUNOFF ALSO THREATENS LANDSCAPE AT 4255.

(3) PRIVACY SCREENS MUST BE EFFECTIVE UPON PLANTING, AS MANY OF US IN THIS NEIGHBORHOOD - INCLUDING ME - HAVE YOUNG CHILDREN AT HOME.

Was today's meeting helpful? ☒ Yes ☐ No

Please share your thoughts below on the meeting content and format.

- GOOD TO WALK THE TRAIL.

- I WAS PROMISED I WOULD GET INFO ON

PROPOSED HEIGHTS AND DISTANCES FOR WALLS 4+5

EMILED TO ME, BUT HAVE NOT

RECEIVED IT. PLEASE EMAIL

How do you prefer to receive project information?

- | | |
|--|--|
| <input type="checkbox"/> Newsletter mailings | <input type="checkbox"/> Open houses |
| <input checked="" type="checkbox"/> Email alerts | <input type="checkbox"/> Website updates |
| <input type="checkbox"/> Phone calls | <input type="checkbox"/> Social media |
| <input checked="" type="checkbox"/> Small group or individual meetings | <input type="checkbox"/> Other _____ |

Do you have any other comments or suggestions for improving the community outreach process?

PLEASE EMAIL ME THE PROMISED FOLLOW-UP
INFO RE HEIGHTS + WIDTH BETWEEN
RETAINING WALLS 4+5 ON SHEET 15 OF 27
(224+00 TO 227+00)



King County Department of Natural Resources and Parks | Parks CIP
Attn: Gina Auld
201 South Jackson Street, Suite 700
Seattle, WA 98104

98104385599

King County offers many ways to stay connected:

- Share your comments 24/7 by calling the hotline: 1-888-668-4886 or e-mail ELST@kingcounty.gov. King County will respond within one business day.
- Contact us to schedule a meeting. We are available to discuss the trail design, construction activities, listen to your comments and answer your questions
- Visit the website: www.kingcounty.gov/eastlakesammamishtrail for the latest information
- Subscribe to our email listserv and mailing list to stay informed of current design and construction activities
- Follow our blog: kingcountyparks.wordpress.com



- For the latest King County news: @KCNews



Learn about King County Parks

July 14, 2014



King County
Parks and Recreation Division

Department of Natural Resources and Parks
King Street Center, KSC-NR-0700
201 South Jackson, Room 700
Seattle, WA 98104



Dear Mr. Skok,

Thank you for your comments following King County's trail meetings this summer with homeowners in South Sammamish Segment A. All of the comments from the meetings were provided to the design team to be reviewed and considered as trail design advances.

Your comments have been received. KC responses are as follows.

Comment:

Retaining wall #5 should be eliminated or pushed back as close to retaining wall #4 as possible due to limited parking and narrow roadway on East Lake Sammamish Shore Lane. Would like information on proposed height of walls #4 and #5 as well as the exact distance between them. Has this changed in the updated plans?

KC Response:

Some sections of the trail require construction of retaining walls to stabilize slopes, avoid impacts to environmentally sensitive areas, and minimize the project's footprint. The 60% design plans for South Sammamish Segment A propose a wall height of 1 foot to 10.5 feet for Wall #4. The range or varying wall height is due to the length of the wall which extends beyond your property. The height of Wall #4 is approximately 3.6-feet adjacent to your property. A proposed wall height for Wall #5 is 6.75 feet to 8.75 feet. The height of Wall #5 is approximately 8.75 feet adjacent to your property. The distance between Wall #4 and Wall #5 is approximately 6 feet.

Comment:

The wall drain outfall should be eliminated or moved, e.g. drained into the primary drainage or past Station 227 where the lots are undeveloped. Current outfall location will create safety hazard for residents, including children, and threatens landscaping.

KC Response:

The type of retaining wall at this location is designed to allow water to pass between and under the blocks of the wall system. In locations where groundwater is present, a wall drain is installed to prevent water pressure from building up behind the wall if the blocks don't allow water to pass quickly enough. Poor drainage is the leading cause of retaining wall failures. The drain is similar to the foundation drain found around the outside of a house. The drain runs along the base of the wall to a low spot in the wall where the drain can discharge.

The wall drain is expected to discharge only a small volume of water. However, the design team will consider other possible locations as the design is progressed to 90-percent completion.

Comment:

Privacy screens must be effective upon planting as many residents in the neighborhood have young children at home.

KC Response:

King County understands homeowner concerns regarding privacy and landscaping. One of the criteria used in the trail design is to minimize impacts to adjacent homeowners whenever possible. One component to trail construction is landscaping which includes a planting palette of trees, native shrubs and ground cover plants.

Based upon feedback received from many Sammamish trail neighbors the landscaping plan will include some taller shrubs to provide privacy screens.

Landscaping along the trail corridor is an important component of trail design that includes the following objectives:

- Increase trail safety by improving sightlines at all trail intersections. This includes installing plants that grow to a maximum of three feet at full maturity to ensure sightlines are maintained.
- Restore open ground areas with landscape mulch and plantings or seeding to prevent erosion.
- Contribute to a sense of visual continuity along the trail corridor and help make the trail feel like a park.
- Installing native plants, shrubs, and groundcover offer many benefits including; they are well adapted to thrive in local conditions of drought or excess moisture; require less maintenance; grow to natural sizes and forms; blend well into the natural surroundings along the trail corridor.

For additional information on the East Lake Sammamish Master Plan Trail project, please visit the project website at: www.kingcounty.gov/eastlakesammamishtrail.

You may follow our blog (<http://kingcountyparks.wordpress.com/>) for frequent updates about the East Lake Sammamish Trail and other King County Parks projects.

King County's public outreach staff are available to meet with you throughout the design and construction process. You may set up an appointment by calling the project hotline at 1-888-668-4886 or emailing ELST@kingcounty.gov.

Best,

Gina Auld
Capital Project Manager

East Lake Sammamish Trail Project

South Sammamish Segment A - Neighborhood Meetings								
Name	Address	Email	Phone	July 14	July 21	July 24	July 28	August 5
<i>Which meeting did you attend? Please check the box.</i>								
Aiken, James & Cathleen	3829 East Lake Sammamish Shore Ln SE							
Al-Azzawe, Azzawe, Abdul Hamid	3921 202 East Lake Sammamish Shore Ln SE							
Avian, VVentruess LLC	4129 East Lake Sammamish Shore Ln SE							
Bacic, Donald & Sandra	3907 East Lake Sammamish Shore Ln SE							
Barker, Pamela Ann	4115 East Lake Sammamish Shore Ln SE							
Beaulau, Bruce	4003 East Lake Sammamish Shore Ln SE							
Bechtel, Allen	3611 East Lake Sammamish Shore Ln SE							
Bennett, Raymond & Jennifer	3875 201 East Lake Sammamish Shore Ln SE							
Biege, Peter & Joyce	4256 206 East Lake Sammamish Shore Ln SE							
Bolger, Thomas & Carra	4275 East Lake Sammamish Shore Ln SE							

Farhang, Ali & Vida	4274 East Lake Sammamish Shore Ln SE							
Farrell, Gene & Helen	4069 East Lake Sammamish Shore Ln SE							
Fedigan, Carol S	3429 East Lake Sammamish Shore Ln SE							
Folkman, Robert	3731 East Lake Sammamish Shore Ln SE							
Gunner, Donald & Denise	4289 East Lake Sammamish Shore Ln SE							
Haro, Lee E & Christy Bulloc	4156 East Lake Sammamish Shore Ln SE							
Haro, Lee E & Christy Bulloc	4166 East Lake Sammamish Shore Ln SE							
Hasting, Steven & Robbin	Ave SE 4224 206 East Lake Sammamish Shore Ln SE	206-715-2805 (o) 425-391-8550 (H) LMH	✓					
Hofstatter Hofstat, Lynn & Marie	4253 East Lake Sammamish Shore Ln SE	LMH 712009 Photomail.com 206-261-8329	✓					
Howe, ScScott B+Alexis	4223 East Lake Sammamish Shore Ln SE							
Hsu, YunYung	3889 201 East Lake Sammamish Shore Ln SE							

Layton, Douglas B	3719 East Lake Sammamish Shore Ln SE							
Lee, Eunice	4131 205 East Lake Sammamish Shore Ln SE							
Lee, Sue & Kangho	4239 206 East Lake Sammamish Shore Ln SE							
Leist, Karl & Victoria	4170 212 East Lake Sammamish Shore Ln SE							
Libby, Jeff	4209 East Lake Sammamish Shore Ln SE							
Liekhus, Eugene & Betty L	3527 East Lake Sammamish Shore Ln SE							
Lin, CheCheng-Leo George &Liu Chao Chia	3701 East Lake Sammamish Shore Ln SE							
Linn, Joseph L	4021 East Lake Sammamish Shore Ln SE							
Liu Yu-Yu, Ping Andy	4135 205 East Lake Sammamish Shore Ln SE							
Manicka, Anil	4139 205 East Lake Sammamish Shore Ln SE							
Marsh, Richard C & Carolyn D	4280 East Lake Sammamish Shore Ln SE							

Mcnaugh, Allen & Janet	4229 East Lake Sammamish Shore Ln SE	McNaugh & Janet DISODONNELL & com east.net	425 392 4287	✓	✓			
Miller, Bruce & Pamela	3833 East Lake Sammamish Shore Ln SE							
Miller, Scott D	4271 East Lake Sammamish Shore Ln SE							
Mittent, John & Judy	4233 206 East Lake Sammamish Shore Ln SE							
Moore, Herbert & Elynne S	4299 East Lake Sammamish Shore Ln SE							
Morrison, Maureen	4269 East Lake Sammamish Shore Ln SE							
Nies, Trevor	4007 East Lake Sammamish Shore Ln SE							
Nuxoll, Ralph L & Wanda J R	3509 East Lake Sammamish Shore Ln SE							
Obrien, John L & Mary E	3931 202 East Lake Sammamish Shore Ln SE							
Olsen, Franklin E	3417 East Lake Sammamish Shore Ln SE							
Pedrizze, Raymond & Louise	4101 East Lake Sammamish Shore Ln SE							

Seil, Shirley	3713 East Lake Sammamish Shore Ln SE							
Sercu, John & Susan	4245 206 East Lake Sammamish Shore Ln SE							
Sherwoo, Cole & Judy	4121 East Lake Sammamish Shore Ln SE							
Skok, Gavin & Kimberly	4255 East Lake Sammamish Shore Ln SE							
Sorensen, Millie	3901 East Lake Sammamish Shore Ln SE							
Spears, Paul & Joann	3707 East Lake Sammamish Shore Ln SE							
Spence, Jerry L	4013 East Lake Sammamish Shore Ln SE							
Stead, Randall & Valene	4240 206 East Lake Sammamish Shore Ln SE							
Steel, Mark & Connie	4023 East Lake Sammamish Shore Ln SE							
Stines, Andrew & Erin	4287 East Lake Sammamish Shore Ln SE							
Stroeve, Peter	4227 206 East Lake Sammamish Shore Ln SE							

Toll WaWa Lp	3825 201 East Lake Sammamish Shore Ln SE							
Toll WaWa Lp	3817 201 East Lake Sammamish Shore Ln SE							
Tott, David	4253 206 East Lake Sammamish Shore Ln SE							
Tran, Thanh & Samantha	4249 East Lake Sammamish Shore Ln SE							
Troutma, Melanie S	3834 East Lake Sammamish Shore Ln SE							
Vanderh, Evelina C	4293 East Lake Sammamish Shore Ln SE	eva.vanderhoeven@gmail.com 425-372-8277 ✓						
Vasey, Michael & Diane E	4215 East Lake Sammamish Shore Ln SE							
Waite, Robert K & Diane	3815 East Lake Sammamish Shore Ln SE							
Walls, Wesley & Jill	4261 206 East Lake Sammamish Shore Ln SE							
Wang, Shou Shia	4146 East Lake Sammamish Shore Ln SE							
Weber, Timothy Tyson, Martha	4039 East Lake Sammamish Shore Ln SE							

East Lake Sammamish Trail Project

South Sammamish Segment A - Neighborhood Meetings

Name	Address	Email	Phone	July 14	July 21	July 24	July 28	August 5
Which meeting did you attend? Please check the box.								
Hal & Mary Ann Ramos	4216 206 Ave SE	hal-di@comcast.net	425 391-7931			✓		
Teresa Reising	4041 E. Lk. Samm Shoreln. SE	teresajoy-3@hotmail.com	425-864-8269			✓		
tan baird						✓		
Roger Jacobsen	4252 206th AVE NE	roger.jacobsen@amc.com	425-785-3657			✓		
SANDY CHATTERJI	41215 206th AVE SE	schatteji@g.com	425-313-9243			✓		
Pete Biege	4256 206th AVE SE	PBiege@louisa.com	206 369-7100			✓		
JEFF LIDSTADT	4209 E Lk Samm Pkwy	jeff@luplimited.com	425 827 4072			✓		
Tim Tullisty Weber	4039 ELK Samm Shoreln SE	timweber11@yahoo.com	425-453-7999			✓		
Ada McKee	1901 E LK Sam		206-714-1074			✓		
Jim Grisham	3935 202nd PL SE Sammamish	kingco2 jimgrisham.com	847-721-4186			✓		

East Lake Sammamish Trail Project

King County Parks **Your** King County
Big Backyard

South Sammamish Segment A - Neighborhood Meetings

Name	Address	Email	Phone	July 14	July 21	July 24	July 28	August 5
Which meeting did you attend? Please check the box.								
STEVEN HASTINGS	4224 206 th Ave Sammamish, WA	steven.t.hastings @koeing.com	206-715-2805			X		
Ray Bennett	3815 20 th St SE Sammamish, WA	raymond.bennett @gmail.com	425-417-882				✓	
Bob Hinkley	3806 202 nd St SE Samm 98075	bobandjanell@ q.com	425-392-7732				✓	
Dick & Wanda Dickson	20309-SE 39 th Pl	wand56@bol.com	425-427-0661				✓	
Don & Sandra BASIC	3907 East Lk Sam SH LN SE	don.basic@mymnw.com	425 3929191				✓	
Pamela & Bruce	3833 E Lk Samm Sh. Ln SE	pamelajoy-miller 808 @gmail.com	281-9423				✓	
TREVOR NILES	4007 E Lk Samm SH LN SE	T-MAN@LIVE.com	206-799-6013				✓	
Sharon Zhou	4005 E Lk Sam	zhous55@ hotmail.com	425-444 -7670				✓	
Tiffany Defarbus	220 NE Dogwood St Blou Issaquah 98027	tdefarbus@ gmail	206 714 0849				Met you on the trail	

East Lake Sammamish Trail Project

WALLS

King County Parks **Your** King County
Big Backyard

South Sammamish Segment A - Neighborhood Meetings

Name	Address	Email	Phone	July 14	July 21	July 24	July 28	August 5
Which meeting did you attend? Please check the box.								
Dan + Sharron O'Donnell	4229 E. Lk. Sammamish Sh. Ln. SE	dsodonnell@comcast.net	425 657 0447	✓	✓			
Brenda + Jay Zyistra	4260 Peregrine Point Way SE	brenda@zyistra.us	425 369 4660	✓				
Kasey Moore	4299 E. Lk. Sammamish Pkwy SE	Kasey.moore14@gmail.com	425 765 9974	✓				
Tazet Bird	3310 221st Ave SE Sammamish, WA 98075	birdlandcat@aol.com	425 427-5218	✓				
Joe Skidmore	2523 NW Alpine Crest Way Issaquah, WA 98027	philadelia@msa.com	425.369.3067	✓				
Michelle Moskos	4303 E Lk Samm SE Iss WA 98027	michmoskos@comcast.net	425-677-8298					
Gavin Skok	4255 E. Lk. Samm Shore Ln. SE 98075	GWSKOK@VANOC.COM	425-369-8254		✓			
Vin Bhalevno	4277 E Lk Samm Sh. Ln. SE	Vin. bhalevno@gmail.com	425-295-7725		✓			
DAVID BROZ 4265	PO Box 648 ISSAQUAH WA 98027	dbroz50@comcast.net	425-941 0291		✓			
Curry + Eynne Moore								

East Lake Sammamish Trail Project

South Sammamish Segment A - Neighborhood Meetings

Name	Address	Email	Phone	July 14	July 21	July 24	July 28	August 5
Which meeting did you attend? Please check the box.								
Sandra deMers	2411 E. LK. Samm. Shr. Ln SE	duckeydog@man.com	425-557-9618					
GLENN KEMPE	3521 E. LK. SAMM. SHORE LAKE SE	ZKENTOR@COMCAST.NET	425-688-3756					✓
Wanda Nuxoll	PO BOX 2406 Wasaquah WA 98056	wanda@nuxoll.org	425-837-3720					
Leo Kosenkranus	3233 E Lk Samm Sam 98075	LEO.Kosenkranus@gmail.com	425-557-9311					✓
Joanne Griffin	19605 SE 31st Sam. 98075 R.							✓